













附件一 全氟己烷磺酸及其鹽類與相關化合物

項次 Item	英文名稱 English Name	化學文摘社登記號 碼 CAS No.	結構式 structural formula
1	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-; Perfluorohexanesulfonic acid (PFHxS)	355-46-4	
2	1-Hexanesulfonyl bromide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	111393-39-6	
3	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N,N-dimethyl-	1270179-82-2	
4	1-Hexanesulfonamide, N,N-diethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	1270179-93-5	
5	2-Propenoic acid, 2-methyl-, polymers with Bu methacrylate, lauryl methacrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate	127133-66-8	
6	Sulfonamides, C4-8-alkane, perfluoro, N-methyl-N-(2-oxiranylmethyl)	129813-71-4	
7	$\beta$ -Alanine, N-[3-(dimethylamino)propyl]-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	141607-32-1	

8	1-Hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-methyl-	1427176-17-7	
9	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N,N-bis(2-methoxyethyl)-	1427176-20-2	
10	Benzenamine, 4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	147029-28-5	
11	Fatty acids, C18-unsatd., trimers, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl esters	148240-80-6	
12	Sulfonamides, C4-8-alkane, perfluoro, N-(hydroxyethyl)-N-methyl, reaction products with 1,6-diisocyanatohexane homopolymer and ethylene glycol	148684-79-1	
13	Benzene, 1-fluoro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	149652-30-2	
14	Benzoic acid, 2,3,4,5-tetrachloro-6-[[3-(hydroxyphenyl)amino]carbonyl]-, perfluoro-C6-8-alkanesulfonates (esters), monopotassium salts	160305-97-5	
15	2-Propenoic acid, butyl ester, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	160336-17-4	
16	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 2-ethyl-1-hexanol and polymethylenepolyphenylene isocyanate	160901-25-7	
17	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 2-ethyl-1-hexanol, Me Et ketone oxime and polymethylenepolyphenylene isocyanate	160901-26-8	








18	Fatty acids, C18-unsatd., trimers, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl esters	161074-58-4	
19	Sulfonamides, C4-8-alkane, perfluoro, N-(3-chloro-2-hydroxypropyl)-N-methyl	1645842-67-6	
20	Sulfonamides, C7-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 1,3-bis(isocyanatomethyl)benzene and N-butyl-1-butanamine	1645850-46-9	
21	Sulfonamides, C7-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with 1,3-bis(isocyanatomethyl)benzene	1645852-09-0	
22	Siloxanes and Silicones, di-Me, Bu group- and 3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl group-terminated, telomers with acrylic acid, di-Me, Me 3-mercaptopropyl siloxanes, Me acrylate, Me methacrylate and 2-[methyl[(perfluoro-c4-8-alkyl)sulfonyl]amino]ethyl acrylate, 2,2'-(1,2-diazenediyl)bis[2-methylpropanenitrile]-initiated	1645852-10-3	
23	2-Propenoic acid, polymers with lauryl acrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	1648534-82-0	
24	Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-(methylamino)ethyl]- $\omega$ -hydroxy-, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs., C12-16-alkyl ethers	1648539-69-8	
25	2-Propenoic acid, 2-(methylamino)ethyl ester, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs., polymers with propene	1648540-20-8	
26	Benzene, 1-nitro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	171561-95-8	
27	1-Hexanesulfonamide, N-[3-(dimethyloxidoamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, potassium salt (1:1)	178094-71-8	
28	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), polymers with 1,1'-methylenebis[4-isocyanatobenzene] and polymethylenepolyphenylene isocyanate, 2-ethylhexyl esters, Me Et ketone oxime-blocked	178535-22-3	
29	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethyloxidoamino)propyl], potassium salts	179005-06-2	
30	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethyloxidoamino)propyl]	179005-07-3	


31	2-Propenoic acid, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	1893-52-3	
32	Sulfonamides, C4-8-alkane, perfluoro, N-[3-(dimethylamino)propyl], reaction products with acrylic acid	192662-29-6	
33	Sulfonamides, C4-8-alkane, perfluoro, N-ethyl-N-(hydroxyethyl), reaction products with poly(Bu acrylate) and polyethylene-polypropylene glycol mono-Bu ether	222716-67-8	
34	Pyridinium, 1-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, inner salt	254889-10-6	
35	1-Hexanesulfonamide, N-[3-(dimethyloxidoamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	30295-56-8	
36	Sulfonamides, C4-8-alkane, perfluoro, N-(hydroxyethyl)-N-methyl, reaction products with 12-hydroxyoctadecanoic acid and 2,4-TDI, ammonium salts	306973-47-7	
37	Sulfonamides, C4-8-alkane, perfluoro, N-methyl-N-[(3-octadecyl-2-oxo-5-oxazolidinyl)methyl]	306974-19-6	
38	Siloxanes and Silicones, di-Me, mono[3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl group]-terminated, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and stearyl methacrylate	306974-28-7	
39	Sulfonic acids, C6-8-alkane, perfluoro, compds. with polyethylene-polypropylene glycol bis(2-aminopropyl) ether	306974-45-8	
40	Fatty acids, C18-unsatd., dimers, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl esters	306974-63-0	
41	2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and vinylidene chloride	306975-62-2	
42	Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy-, polymer with 1,6-diisocyanatohexane, N-(hydroxyethyl)-N-methylperfluoro-C4-8-alkanesulfonamides-blocked	306975-84-8	



43	2-Propenoic acid, 2-methyl-, dodecyl ester, polymers with N-(hydroxymethyl)-2-propenamamide, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate, stearyl methacrylate and vinylidene chloride	306975-85-9	
44	1-Hexadecanaminium, N,N-dimethyl-N-[2-[(2-methyl-1-oxo-propen-1-yl)oxy]ethyl]-, bromide (1:1), polymers with Bu acrylate, Bu methacrylate and 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate	306976-25-0	
45	2-Propenoic acid, 2-methyl-, 2-methylpropyl ester, polymer with 2,4-diisocyanato-1-methylbenzene, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol and 2-propenoic acid, N-ethyl-N-(hydroxyethyl)perfluoro-C4-8-alkanesulfonamides-blocked	306976-55-6	
46	2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, telomer with 2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl methacrylate and 1-octanethiol, N-oxides	306977-10-6	
47	2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, polymers with acrylic acid, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and propylene glycol monoacrylate, hydrolyzed, compds. with 2,2'-(methylimino)bis[ethanol]	306977-58-2	
48	2-Propenoic acid, butyl ester, polymers with acrylamide, 2-[methyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl acrylate and vinylidene chloride	306978-04-1	
49	Hexane,1,6-diisocyanato-, homopolymer, N-(hydroxyethyl)-N-methylperfluoro-C4-8-alkanesulfonamides- and stearyl alc.-blocked	306978-65-4	
50	Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-(methylamino)ethyl]- $\omega$ -[(1,1,3,3-tetramethylbutyl)phenoxy]-, N-[(perfluoro-C4-8-alkyl)sulfonyl] derivs.	306979-40-8	
51	Sulfonamides,C4-8-alkane,perfluoro,N,N'-[1,6-hexanediylbis[(2-oxo-3,5-oxazolidinediyl)methylene]]bis[N-methyl-	306980-27-8	




52	1-Hexanesulfonamide,N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-	34455-03-3	
53	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, potassium salt (1:1)	3871-99-6	
54	1-Propanaminium,3-[(carboxymethyl)[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-N,N,N-trimethyl-, inner salt	38850-52-1	
55	1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-3-[(3-sulfopropyl)[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, inner salt	38850-58-7	
56	1-Propanesulfonic acid, 3-[[3-(dimethylamino)propyl][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-	38850-60-1	
57	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	41997-13-1	

58	1-Hexanesulfonyl fluoride, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	423-50-7	
59	2-Propenoic acid, 2-methyl-, 2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl ester, polymers with polyethylene glycol acrylate Me ether	504396-13-8	
60	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	50598-28-2	
61	Siloxanes and Silicones, di-Me, 3-hydroxypropyl group-terminated, reaction products with Me Et ketone oxime, 2-mercaptoethanol, 2-[methyl[(perfluoro-C3-8-alkyl)sulfonyl]amino]ethyl acrylate, polymethylenepolyphenylene isocyanate and polypropylene glycol	507225-08-3	
62	1-Propanaminium, N,N,N-trimethyl-3-[[1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, chloride (1:1)	52166-82-2	
63	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1)	55120-77-9	
64	1-Hexanesulfonyl chloride, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	55591-23-6	
65	Poly(oxy-1,2-ethanediyl), α-[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl]-ω-hydroxy-	56372-23-7	





66	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-2-propen-1-yl-	67584-48-9	
67	Glycine,N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, potassium salt (1:1)	67584-53-6	
68	2-Propenoic acid, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	67584-57-0	
69	2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	67584-61-6	
70	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	67906-70-1	
71	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester, polymer with octadecyl 2-propenoate and 2-propenoic acid	67906-71-2	
72	2-Propenoic acid, 2-methyl-, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]butyl ester	67939-61-1	
73	1-Hexanesulfonamide,N,N'-[phosphinicobis(oxy-2,1-ethanediyl)]bis[N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	67939-92-8	
74	1-Hexanesulfonamide,N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-[2-(phosphonoxy)ethyl]-	67969-65-7	



75	Hexane, 1-(ethenylsulfinyl)-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	680187-85-3	
76	Hexane, 1-(ethenylsulfonyl)-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-	680187-86-4	
77	Carbamic acid, N,N'-(4-methyl-1,3-phenylene)bis-, bis[2-[ethyl[(perfluoro-C4-8-alkyl)sulfonyl]amino]ethyl] ester	68081-83-4	
78	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, telomer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroethyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-methyloxirane polymer with oxirane di-2-propenoate, 2-methyloxirane polymer with oxirane mono-2-propenoate and 1-octanethiol	68227-87-2	
79	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoroethyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and $\alpha$ -(1-oxo-2-propen-1-yl)- $\omega$ -methoxypoly(oxy-1,2-ethanediyl)	68227-94-1	

80	2-Propenoic acid, butyl ester, telomer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,4-butanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68227-96-3	
81	2-Propenoic acid, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]butyl ester	68227-98-5	
82	2-Propenoic acid, ethyl ester, polymer with 4-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,4-butanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]butyl 2-propenoate and 4-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]butyl 2-propenoate	68228-00-2	
83	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(4-hydroxybutyl)-N-methyl-	68239-74-7	
84	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, ammonium salt (1:1)	68259-08-5	



85	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-methyl-	68259-15-4	
86	Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl]- $\omega$ -hydroxy-	68259-38-1	
87	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(phenylmethyl)-	68298-09-9	
88	2-Propenoic acid, 2-methyl-, 2-[[[[5-[[[2-[ethyl[(tridecafluorohexyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester (9CI)	68298-74-8	
89	2-Propenoic acid, 2-methyl-, 2-[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester, telomer with butyl 2-propenoate, 2-[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,4,4-nonafuorobutyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[5-[[[2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5,5-undecafluoropentyl)sulfonyl]amino]ethoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-	68298-78-2	






	heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol		
90	Benzenesulfonic acid, [[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]methyl]-, sodium salt (1:1)	68299-21-8	
91	2-Propenoic acid, 2-methyl-, 4-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butyl ester, telomer with butyl 2-propenoate, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,4-butanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,4-butanediyl), 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 4-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]butyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol	68299-39-8	
92	2-Propenoic acid, eicosyl ester, polymer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, hexadecyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-	68329-56-6	




	[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and octadecyl 2-propenoate		
93	Sulfonic acids, C6-12-alkane, perfluoro, potassium salts	68391-09-3	
94	Glycine,N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, sodium salt (1:1)	68555-70-4	
95	1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-	68555-75-9	
96	Polymer based on 67584-55-8	68555-90-8	<p>由此結構式組成之聚合物：</p> 
97	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate	68555-91-9	<p>由此結構式組成之聚合物：</p> 



98	2-Propenoic acid, 2-methyl-, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate	68555-92-0	<p>由此結構式組成之聚合物：</p> 
99	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-chloro-1,3-butadiene, 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate	68568-77-4	
100	2-Propenoic acid, 2-[[[(heptafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propenyl)- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), $\alpha$ -(2-methyl-1-oxo-2-propenyl)- $\omega$ -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate and 2-[methyl[(undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate (9CI)	68586-13-0	
101	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]methylamino]ethyl ester, telomer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), $\alpha$ -(2-methyl-1-oxo-2-propen-1-yl)- $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2-ethanediyl), 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-	68586-14-1	<p>由此結構式組成之聚合物：</p> 

	propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol		
102	Sulfonamides,C4-8-alkane,perfluoro,N-ethyl-N-(hydroxyethyl),reaction products with TDI	68608-13-9	
103	Sulfonamides,C4-8-alkane,perfluoro,N-ethyl-N-(hydroxyethyl),reaction products with 1,1'-methylenebis[4-isocyanatobenzene]	68608-14-0	
104	1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluoro-N-(2-hydroxyethyl)-, reaction products with N-ethyl-1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-1-butanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentafluoro-N-(2-hydroxyethyl)-1-heptanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-1-hexanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,5-undecafluoro-N-(2-hydroxyethyl)-1-pentanesulfonamide, polymethylenepolyphenylene isocyanate and stearyl alc.	68649-26-3	
105	2-Propenoic acid, 2-methyl-, 2-ethylhexyl ester, polymer with 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 2-oxiranylmethyl 2-methyl-2-propenoate	68797-76-2	
106	Benzoic acid, 2,3,4,5-tetrachloro-6-[[[3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]oxy]phenyl]amino]carbonyl]-, potassium salt (1:1)	68815-72-5	
107	2-Propenoic acid, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctyl)sulfonyl]methylamino]ethyl ester, polymer with 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-	68867-60-7	

	[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and $\alpha$ -(1-oxo-2-propen-1-yl)- $\omega$ -methoxypoly(oxy-1,2-ethanediyl)		
108	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, telomer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 1-octanethiol and $\alpha$ -(1-oxo-2-propen-1-yl)- $\omega$ -methoxypoly(oxy-1,2-ethanediyl)	68867-62-9	
109	2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl ester, polymer with 2-[ethyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-methyl-2-propenoate and 2-methyl-1,3-butadiene	68877-32-7	由此結構式組成之聚合物： 
110	Chromium, diaquatetrachloro[ $\mu$ -[N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]glycinato- $\kappa$ O: $\kappa$ O']]- $\mu$ -hydroxybis(2-propanol)di-	68891-98-5	
111	2-Propenoic acid, eicosyl ester, polymers with branched octyl acrylate, 2-[[heptadecafluorooctyl)sulfonyl]methylamino]ethyl acrylate, 2-[methyl[(nonafluorobutyl)sulfonyl]amino]ethyl acrylate, 2-	68909-15-9	







	[methyl[(pentadecafluoroheptyl)sulfonyl]amino]ethyl acrylate, 2-[methyl[(tridecafluorohexyl)sulfonyl]amino]ethyl acrylate, 2-[methyl[(undecafluoropentyl)sulfonyl]amino]ethyl acrylate, polyethylene glycol acrylate Me ether and stearyl acrylate		
112	Glycine,N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	68957-32-4	
113	Glycine,N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, ethyl ester	68957-53-9	
114	1-Propanaminium,N,N,N-trimethyl-3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, iodide (1:1)	68957-58-4	 • I <sup>-</sup>
115	1-Hexanesulfonamide,N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-,hydrochloride (1:1)	68957-61-9	 • HCl
116	1-Hexanesulfonic acid,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1)	70225-16-0	
117	1-Propanaminium,N,N,N-trimethyl-3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-, sulfate (2:1)	70248-52-1	


			
118	<p>2-Propenoic acid, 2-methyl-, octadecyl ester, polymer with 1,1-dichloroethene, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, N-(hydroxymethyl)-2-propenamide, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate and 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate</p>	70776-36-2	<p>由此結構式組成之聚合物：</p> 
119	<p>2-Propenoic acid, 2-methyl-, 2-[[[[2-methyl-5-[[[4-[methyl[(tridecafluorohexyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl ester (9CI)</p>	70900-36-6	
120	<p>2-Propenoic acid, 2-methyl-, 2-[[[[5-[[[4-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]butoxy]carbonyl]amino]-2-methylphenyl]amino]carbonyl]oxy]propyl ester, telomer with butyl 2-propenoate, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-</p>	70900-40-2	

	<p>tridecafluorohexyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[[[[2-methyl-5-[[[4-[methyl[(1,1,2,2,3,3,4,4,5,5,5,5-undecafluoropentyl)sulfonyl]amino]butoxy]carbonyl]amino]phenyl]amino]carbonyl]oxy]propyl 2-methyl-2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 1-octanethiol</p>		
121	<p>2-Propenoic acid, 2-methyl-, methyl ester, polymer with ethenylbenzene, 2-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]methylamino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,4-nonafluorobutyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoroheptyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl 2-propenoate, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,5-undecafluoropentyl)sulfonyl]amino]ethyl 2-propenoate and 2-propenoic acid</p>	71487-20-2	
122	<p>1-Propanesulfonic acid,3-[[3-(dimethylamino)propyl][(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-2-hydroxy-, sodium salt (1:1)</p>	73772-32-4	
123	<p>1-Hexanesulfonamide,N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, acetate (1:1)</p>	73772-33-5	

124	1-Hexanesulfonamide, N-[3-(dimethylamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-[2-[2-(2-hydroxyethoxy)ethoxy]ethyl]-	73772-34-6	
125	Benzene, 1-chloro-4-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	76848-59-4	
126	1H-Benzimidazolium, 1,3-diethyl-2-methyl-5-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, 4-methylbenzenesulfonate (1:1)	76848-68-5	
127	1-Propanesulfonic acid, 3-[methyl[3-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]propyl]amino]-, sodium salt (1:1)	80621-17-6	
128	1-Propanaminium, N-(2-hydroxyethyl)-3-[(2-hydroxy-3-sulfopropyl)(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]-N,N-dimethyl-, hydroxide, sodium salt (1:1:1)	81190-38-7	
129	1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, sodium salt (1:1)	82382-12-5	

130	1-Hexanesulfonamide,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-propyl-	85665-64-1	
131	Glycine,N-propyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-, potassium salt (1:1)	85665-66-3	
132	1-Hexanesulfinic acid,1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, zinc salt (2:1)	86525-30-6	
133	Thiophene,2-[2-[(tridecafluorohexyl)sulfonyl]ethenyl]-	86525-43-1	
134	Furan,2-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-48-6	
135	Benzene,1-methyl-4-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-51-1	
136	Benzene,1-methoxy-4-[2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethenyl]-	86525-52-2	

137	Thiophene,2-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-48-9	
138	Furan,2-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-49-0	
139	Benzene,1-methyl-4-[1-(phenylthio)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-50-3	
140	Thiophene,2-[1-(nitromethyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-55-8	
141	Furan,2-[1-(nitromethyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-56-9	
142	2,4-Pentanedione,3-[1-(2-thienyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-63-8	

143	2,4-Pentanedione,3-[1-(2-furanyl)-2-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]ethyl]-	89863-64-9	
144	Sulfonamides,C4-8-alkane,perfluoro,N-(hydroxyethyl)-N-methyl,reaction products with epichlorohydrin, adipates (esters)	91081-99-1	
145	Isoxazolidine,4-(4-methoxyphenyl)-2-methyl-5-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]-	93416-31-0	
146	Sulfonic acids, C6-12-alkane, perfluoro	93572-72-6	
147	Sulfonamides,C4-8-alkane,perfluoro,N-[4,7-dimethyl-4-[[1-methylpropylidene)amino]oxy]-3,5-dioxa-6-aza-4-silanon-6-en-1-yl]-N-ethyl	944578-05-6	